



Protezioni in plastica

Thermoplastic protections

Protecciones de plástico




Materiale

Polietilene L.D. colore naturale.

Natural color L.D. polythene.

Polietileno L.D. color natural.

Codice	Modello	A mm	B mm	C mm	H mm	Filettatura metrica Metric thread Rosca métrica	Gas
7313001	TSF/3	3	6,5	2	4,5	-	-
7313003	TSF/3,5	3,5	7	2	4,5	M4	-
7313005	TSF/4	4	7,5	3	5	-	-
7313007	TSF/4,5	4,5	8	3,5	5	M5	-
7313009	TSF/5	5	9	4	6	M6	-
7313011	TSF/5,5	5,5	9	4,5	6	-	-
7313013	TSF/6	6	9,5	5	6	-	-
7313015	TSF/6,5	6,5	10	5,5	7	-	-
7313017	TSF/7	7	10	6	6	M8	-
7313019	TSF/7,5	7,5	10,5	6,3	6,5	-	-
7313021	TSF/8	8	11	7	7	-	-
7313023	TSF/8,5	8,5	11,5	7,5	7,5	M10	-
7313025	TSF/9	9	11,5	8	7,5	-	1/8"
7313027	TSF/9,5	9,5	12,5	8,5	7,5	-	-
7313029	TSF/10	10	13	9	8,5	-	-
7313031	TSF/10,5	10,5	13,5	9,5	8,5	M12	-
7313033	TSF/11	11	14,5	10	8,5	-	-
7313035	TSF/11,5	11,5	14,5	10,5	8,5	-	-
7313037	TSF/12	12	14,5	11	9	-	1/4"
7313039	TSF/12,5	12,5	15,5	11,5	9	M14	-
7313041	TSF/13	13	16,5	12	9,5	-	-
7313043	TSF/13,5	13,5	16,5	12,5	9,5	-	-
7313045	TSF/14	14	17,5	13	10	-	-
7313047	TSF/14,5	14,5	17,5	13,5	9,5	M16	-
7313049	TSF/15	15	18	14	9,5	-	-
7313051	TSF/15,5	15,5	18,5	14,5	9,5	-	3/8"
7313053	TSF/16	16	19,5	15	10	M18	-
7313055	TSF/16,5	16,5	19,5	15,5	10,5	-	-
7313057	TSF/17	17	20,5	16	10,5	-	-
7313059	TSF/17,5	17,5	21	16,5	10,5	-	-
7313061	TSF/18	18	21,5	17	10,5	M20	-
7313063	TSF/18,5	18,5	23	17,5	10	-	-
7313065	TSF/19	19	22	18	10	-	1/2"
7313067	TSF/19,5	19,5	23	18,5	10,5	-	-
7313069	TSF/20	20	23,5	19	11	M22	-
7313071	TSF/20,5	20,5	24,5	19,5	10,5	-	-
7313073	TSF/21	21	24,5	20	11	-	5/8"
7313075	TSF/21,5	21,5	25,5	20	11	M24	-
7313077	TSF/22	22	25,5	20,8	11	-	-
7313079	TSF/22,5	22,5	26	21,5	10,5	-	-
7313081	TSF/23	23	27	21,5	10,5	-	-
7313083	TSF/23,5	23,5	27,5	22,5	10,5	-	-
7313085	TSF/24	24	28	22,5	11,5	-	-
7313087	TSF/24,5	24,5	28	23,5	10,5	-	3/4"
7313089	TSF/25	25	30	23,5	11	M27	3/4"
7313093	TSF/26	26	30,5	24,5	10,5	-	-
7313095	TSF/26,5	26,5	30	25	10,5	-	-
7313097	TSF/27	27	31	25,2	9,5	M30	-
7313101	TSF/28	28	32,5	26	10,5	-	-
7313105	TSF/29	29	32	27	9,5	-	7/8"
7313109	TSF/30	30	33	28	10	M33	-
7313113	TSF/31	31	36	29	10,5	-	1"
7313114	TSF/31,5	31,5	35	30,5	10	-	-
7313117	TSF/32	32	37	30	10,5	-	-
7313119	TSF/32,5	32,5	37,5	30,5	10,5	M36	-
7313123	TSF/33	33	38	31	10,5	-	-
7313125	TSF/33,5	33,5	37,5	32,5	10,5	-	-
7313127	TSF/34	34	38,5	32	10,5	-	-
7313131	TSF/35	35	40	33	10,5	-	-
7313135	TSF/36	36	41	34	11	M39	-
7313139	TSF/37	37	42	35	11	-	-
7313143	TSF/38	38	43	36	10,5	M42	-
7313147	TSF/39	39	44	37	10,5	-	-
7313151	TSF/40	40	45	38	10,5	-	-
7313155	TSF/41	41	46	39	10,5	-	-
7313159	TSF/42	42	46,5	40	10,5	-	-
7313163	TSF/43	43	47,8	41	10,7	-	-
7313167	TSF/44	44	49	42	10,5	-	-
7313171	TSF/45	45	50,8	43	10,6	-	-
7313175	TSF/46	46	50,8	44	10	-	1.1/2"
7313179	TSF/47	47	51,5	45	10,5	-	-




Materiale

Polietilene L.D. colore naturale.

Natural color L.D. polythene.

Polietileno L.D. color natural.

Codice	Modello	A mm	B mm	C mm	H mm	Filettatura metrica Metric thread Rosca métrica	Gas
7313183	TSF/48	48	53	46	10,5	-	-
7313187	TSF/49	49	54,5	47	11	-	-
7313191	TSF/50	50	54	48	10	-	-
7313195	TSF/51	51	56	49	11	-	-
7313199	TSF/52	52	57,5	50	11	-	-
7313203	TSF/53	53	59	51	11	-	-
7313207	TSF/54	54	61	52	11	-	-
7313211	TSF/55	55	61	53	10	-	-
7313215	TSF/56	56	63	54	11,5	-	-
7313219	TSF/57	57	61	55	10	-	2"
7313223	TSF/58	58	65	56	11	-	2"
7313227	TSF/59	59	65	57	11	-	-
7313231	TSF/60	60	65	58	11	-	-
7313235	TSF/61	61	67,5	59	11	-	-
7313239	TSF/62	62	68	60	11	-	-
7313243	TSF/63	63	67	61	9,5	-	-
7313245	TSF/63,5	63,5	70	61	10,5	-	-
7313247	TSF/64	64	67,5	62	9,5	-	-
7313251	TSF/65	65	69	63	10	-	-
7313255	TSF/66	66	72	64	10	-	-
7313259	TSF/67	67	73	65	10	-	-
7313263	TSF/68	68	75	66	11	-	-
7313267	TSF/69	69	75	67	10,5	-	-
7313271	TSF/70	70	74	68	11	-	-
7313275	TSF/71	71	74,5	69	11	-	-
7313279	TSF/72	72	79	70	12	-	-
7313283	TSF/73	73	76,5	71	9,5	-	-
7313287	TSF/74	74	77,5	72	10,5	-	2.1/2"
7313291	TSF/75	75	79	72,5	9,5	-	-
7313295	TSF/76	76	80	74	10,5	-	-
7313299	TSF/77	77	81	75	9,5	-	-
7313303	TSF/78	78	82	76	10,5	-	-
7313307	TSF/79	79	83	76	9,6	-	-
7313311	TSF/80	80	84	78	9,5	-	-
7313315	TSF/81	81	85	79	9,5	-	-
7313319	TSF/82	82	85,5	80	9,5	-	-
7313323	TSF/83	83	86,5	81	9,5	-	-
7313327	TSF/84	84	90	82	10	-	-
7313329	TSF/84,5	84,5	90	82	8	-	-
7313331	TSF/85	85	88,5	83	9,5	-	-
7313335	TSF/86	86	90	83,5	9,5	-	-
7313339	TSF/86,5	86,5	89	84	10	-	-
7313343	TSF/87	87	90,5	85	9,5	-	3"
7313347	TSF/88	88	91,5	86	9,5	-	-
7313351	TSF/89	89	92,5	87	9,5	-	-
7313355	TSF/90	90	92,5	88	10	-	-
7313359	TSF/91	91	93	89	9,5	-	-
7313363	TSF/92	92	94,5	90	9,5	-	-
7313367	TSF/93	93	97	91	9,5	-	-
7313371	TSF/94	94	97	92	9,5	-	-
7313375	TSF/95	95	97	93	9	-	-
7313379	TSF/96	96	98	94	9,5	-	-
7313383	TSF/97	97	99	95	9,5	-	-
7313387	TSF/98	98	100	96	10	-	-
7313391	TSF/99	99	102	97	9,5	-	-
7313395	TSF/100	100	104,5	98	10,5	-	-
7313399	TSF/101	101	105	99	10,5	-	-
7313401	TSF/103	103	106	-	11	-	-
7313403	TSF/104	104	106,5	-	11	-	-
7313405	TSF/105	105	108	-	10,5	-	-
7313407	TSF/106	106	109,5	-	10,5	-	-
7313409	TSF/107	107	110	105	10,5	-	-
7313411	TSF/108	108	111,5	-	10,5	-	-
7313420	TSF/110	110	114	108	12,5	-	-
7313425	TSF/111	111	115	109	12,7	-	4"
7313427	TSF/112	112	116	110	10,5	-	4"
7313430	TSF/115	115	118,5	113	12	-	-
7313476	TSF/121	121	124	-	12	-	-
7313485	TSF/125	125	130	123	13,5	-	-
7313550	TSF/140	140	144	-	13,5	-	-
7313560	TSF/160	160	167	-	14	-	-



Salvaspigolo

Protezione
Edge protector / Salva esquina




Descrizione

Salvaspigolo.
Edge protector.
Salva esquina.

Materiale

Tecnopolimero nero.
Black thermoplastic.
Termoplástico negro.



Codice	Modello	A mm	B mm	C mm
6326005	Salvaspigolo	35	46	20


CD

Copri dadi / Hexagonal protection cap
Protección hexagonal para tuerca



Materiale

Polietilene L.D. nero.
Black L.D. polythene.
Polietileno L.D. negro.



Codice	Modello	Filettatura metrica Metric thread Rosca métrica	Esagono Hexagon Hexágono	c mm	d mm	h1 mm	h2 mm	h3 mm
7371451	CD/7	M4	7	6,9	9	7,5	8,3	3,5
7371453	CD/8	M5	8	7,9	10,9	8,5	9,5	5
7371455	CD/10	M6	10	9,8	12,9	12	13	6
7371457	CD/13	M8	13	12,8	16,8	14	15	9
7371459	CD/17	M10	17	16,7	21,3	18,5	19,5	9
7371461	CD/19	M12	19	18,7	23,6	20	21,5	11
7371463	CD/22	M14	22	21,7	27,5	22,5	24	12
7371465	CD/24	M16	24	23,7	29,8	25,5	27	14
7371467	CD/27	M18	27	26,8	34	29	43	15
7371469	CD/30	M20	30	29,8	37,7	31	33,2	17
7371471	CD/32	M22	32	31,8	39,7	34	36,2	19
7371473	CD/36	M24/M26	36	35,8	44,4	38	39,2	20
7371475	CD/41	M27/M28	41	40,8	50,1	44	46,5	23
7371477	CD/46	M30	46	45,8	55,9	49	51,5	25
7371479	CD/50	M33	50	49,8	60,5	53	55,5	27
7371481	CD/55	M36	55	54,8	67	57	59,5	30
7371483	CD/60	M39/M40	60	59,7	72	60	62,5	38
7371485	CD/65	M42	65	63,7	76,5	63	65,5	42
7371487	CD/70	M45	70	69,7	85,5	73	75,5	38
7371489	CD/75	M48	75	75	91,6	78,5	81	41
7371491	CD/80	M52	80	80	98	83,4	86,2	43,5
7371493	CD/85	M56	85	85	104,2	88,6	91,6	48
7371495	CD/95	M64	95	95	116,7	102	105,5	55


Materiale

Polietilene L.D. naturale, giallo o nero.

Natural, yellow or black L.D. polythene.

Polietileno L.D. natural, amarillo o negro.

Codice	Modello	d mm	pollici inches pulgadas	H mm	Colore	Codice	Modello	d mm	pollici inches pulgadas	H mm	Colore
7370001	PT/4	4	-	22	●	7370139	PT/98	98	-	37,5	○
7370003	PT/5	5	-	18,5	○	7370141	PT/100	100	-	31	○
7370005	PT/6	6	-	18	●	7370143	PT/101,6	101,6	3.1/2"	30	○
7370007	PT/6,35	6,35	-	18	○	7370145	PT/103	103	-	35	○
7370009	PT/7	7	-	18,5	○	7370151	PT/106	106	-	40	●
7370011	PT/8	8	-	19	○	7370153	PT/108	108	-	35	○
7370013	PT/9,6	9,6	G 1/8"	18	○	7370155	PT/110	110	-	38	●
7370015	PT/10	10	1/8"	18	○	7370157	PT/114,3	114,3	G 4"-4"	33	○
7370017	PT/11	11	-	15	○	7370159	PT/116,3	116,3	-	38,5	○
7370019	PT/12	12	-	18	○	7370161	PT/117,5	117,5	-	38,5	○
7370021	PT/12,7	12,7	-	18	○	7370163	PT/121	121	-	38	○
7370023	PT/13	13	G 1/4"	18	○	7370165	PT/125	125	-	35	○
7370025	PT/13,7	13,7	1/4"	18	○	7370169	PT/127	127	4.1/2"	35	○
7370027	PT/14	14	-	20	○	7370171	PT/130	130	-	40	○
7370029	PT/15	15	-	19	○	7370173	PT/133	133	-	40	●
7370031	PT/15,5	15,5	-	19,5	○	7370175	PT/136	136	-	30	○
7370033	PT/16	16	-	20	○	7370177	PT/138	138	-	32,5	○
7370035	PT/17,1	17,1	3/8"	20	○	7370179	PT/139,7	139,7	G 5"	33,5	○
7370037	PT/18	18	-	20	○	7370181	PT/141,3	141,3	5"	40	○
7370039	PT/18,5	18,5	-	20	○	7370183	PT/146	146	-	40	○
7370041	PT/19	19	-	20	○	7370185	PT/148	148	-	35	○
7370043	PT/20	20	-	20	○	7370189	PT/152,4	152,4	5.1/2"	40	●
7370045	PT/21,3	21,3	G 1/2" 1/2"	16	○	7370191	PT/156	156	-	39	○
7370047	PT/22	22	-	20	○	7370193	PT/159	159	-	37	○
7370049	PT/23,2	23,2	-	19	●	7370195	PT/165	165	G 6"	40	○
7370051	PT/24	24	-	20	○	7370197	PT/168,3	168,3	6"	39	○
7370055	PT/25,4	25,4	-	20	○	7370199	PT/170	170	-	45	○
7370057	PT/26	26	G 3/4"	20	○	7370201	PT/176	176	-	40	○
7370059	PT/26,9	26,9	3/4"	20	○	7370203	PT/177,8	177,8	-	42	○
7370061	PT/28,5	28,5	-	24	○	7370205	PT/180	180	-	40	●
7370063	PT/30	30	-	25	○	7370207	PT/185	185	-	40	○
7370065	PT/31,8	31,8	-	20	○	7370209	PT/190	190	-	40	○
7370067	PT/33,7	33,7	1"	20	○	7370211	PT/193,7	193,7	-	42	○
7370069	PT/35	35	-	25	○	7370213	PT/200	200	-	49	●
7370071	PT/38	38	-	20	○	7370215	PT/210	210	-	40	○
7370075	PT/40	40	-	25	○	7370217	PT/219,1	219,1	8"	42	○
7370077	PT/41,3	41,3	G 1 1/4"	20	○	7370219	PT/225	225	-	39	●
7370079	PT/42,4	42,4	1 1/4"	25	○	7370221	PT/232	232	-	40	○
7370081	PT/44,5	44,5	-	25	○	7370223	PT/242	242	-	50	○
7370083	PT/45,4	45,4	-	20	○	7370225	PT/245	245	-	50	○
7370085	PT/47,5	47,5	G 1 1/2"	25	○	7370227	PT/250	250	-	47	●
7370087	PT/48,3	48,3	1 1/2"	25	○	7370229	PT/267	267	-	43	○
7370089	PT/51	51	-	28	○	7370231	PT/273	273	10"	50	○
7370091	PT/52	52	-	28	○	7370237	PT/323,9	323,9	12"	55	●
7370093	PT/52,8	52,8	-	28	○	7370239	PT/355,6	355,6	14"	56	●
7370095	PT/54	54	1 3/4"	28	○	7370241	PT/366	366	-	54	○
7370097	PT/55	55	-	29	○	7370243	PT/400	400	-	65	○
7370099	PT/57	57	-	27	○	7370247	PT/406,4	406,4	16"	61	●
7370101	PT/59	59	G 2"	27	○	7370249	PT/450	450	-	65	○
7370103	PT/60,3	60,3	2"	27	○	7370251	PT/457,2	457,2	18"	63	●
7370105	PT/63,5	63,5	-	27	○	7370253	PT/508	508	20"	65	●
7370107	PT/65	65	-	35	●	7370255	PT/558,8	558,8	22"	60	●
7370109	PT/67	67	-	35	●	7370257	PT/609,6	67	24"	61	●
7370111	PT/70	70	-	35,5	○	7370259	PT/660,4	70	26"	110	●
7370113	PT/73	73	2 1/2"	30	○	7370261	PT/711,2	73	28"	115	●
7370115	PT/75	75	G 2 1/2"	28	○	7370263	PT/762	75	30"	115	●
7370117	PT/76	76	2 1/2"	30	○	7370265	PT/812,4	76	32"	115	●
7370119	PT/77	77	-	35	○	7370267	PT/914,4	77	36"	115	●
7370121	PT/78	78	-	29,5	○	7370269	PT/1016	78	40"	115	●
7370123	PT/80	80	-	29,5	○	7370271	PT/1066,8	80	42"	115	●
7370127	PT/82	82	-	30	○	7370273	PT/1117,6	82	44"	125	●
7370129	PT/83	83	2 3/4"	30	○	7370275	PT/1219,2	83	48"	115	●
7370131	PT/85	85	-	30	○	7370277	PT/1320,8	85	52"	150	●
7370133	PT/88,9	88,9	3"	35	○	7370281	PT/1422,4	88,9	56"	150	●
7370135	PT/92,4	92,4	-	25	●	7370283	PT/1524	92,4	60"	150	●
7370137	PT/95	95	-	37,5	○	7370285	PT/1625,6	1625,6	64"	150	●




Materiale

Polietilene L.D. nero.

Black L.D. polythene.

Polietileno L.D. negro.




Codice	Modello	A mm	Spessore del tubo Thickness of the tube Espesor del tubo	H mm	h mm
7371151	TQ/10x10	10	1 - 2	11,5	4
7371153	TQ/12x12	12	1 - 2	12,0	4
7371155	TQ/13x13	13	0,5 - 2	12,0	4
7371157	TQ/15x15	15	1 - 2	14,0	3
7371159	TQ/16x16	16	1 - 2,5	11,5	5
7371162	TQ/18x18	18	1,5 - 3	11,5	5
7371164	TQ/20x20	20	1 - 3	11,5	5
7371166	TQ/22x22	22	1 - 3	12,0	5
7371168	TQ/25x25	25	1 - 3	11,5	5
7371174	TQ/28x28	28	1 - 3	11,5	5
7371176	TQ/30x30	30	1 - 3	11,5	5
7371177	TQ/30x30	30	2,5 - 4,5	11,5	5
7371182	TQ/35x35	35	1 - 3	14,5	5
7371184	TQ/35x35	35	2,5 - 5	12,0	5
7371186	TQ/40x40	40	1 - 3	14,5	5
7371188	TQ/40x40	40	3 - 5	14,5	5
7371189	TQ/40x40	40	4,5 - 5,5	14,5	5
7371192	TQ/45x45	45	1 - 3	14,5	5
7371194	TQ/50x50	50	1 - 2,5	14,5	5
7371196	TQ/50x50	50	2,6 - 4	25,0	6,5
7371200	TQ/50x50	50	3,5 - 6	14,5	5
7371214	TQ/55x55	55	2 - 4,5	14,5	5
7371198	TQ/60x60	60	1,5 - 3,5	24,0	5
7371201	TQ/60x60	60	3 - 5	17,5	6,5
7371202	TQ/65x65	65	1 - 3	21,0	5
7371203	TQ/70x70	70	2 - 5	19,0	5
7371204	TQ/70x70	70	3 - 6	19,5	8
7371212	TQ/80x80	80	1,5 - 4	21,0	6
7371206	TQ/80x80	80	2,5 - 5	24,0	8
7371207	TQ/90x90	90	3 - 5	25,0	6
7371216	TQ/95x95	95	3 - 6	21,5	6
7371210	TQ/100x100	100	1 - 4	24,0	7
7371211	TQ/100x100	100	5 - 8	24,0	7
7371217	TQ/110x110	110	3 - 5	24,0	6
7371213	TQ/120x120	120	2,5 - 6	25,0	5
7371218	TQ/140x140	140	4 - 7	34,0	6
7371219	TQ/150x150	150	5 - 8	27,0	6
7371221	TQ/150x150	150	10 - 12,5	27,0	6

Materiale

Polietilene L.D. nero.

Black L.D. polythene.

Poliètileno L.D. negro.



Codice	Modello	A mm	B mm	Spessore del tubo Thickness of the tube Espesor del tubo	H mm	h mm
7370992	TR/20X10	20	10	1 - 2	11,5	3
7370994	TR/20X15	20	15	1 - 2	11,5	5
7370997	TR/25x10	25	10	0,8 - 2	11,5	3
7370999	TR/25x15	25	15	1 - 2,5	11,5	5
7371002	TR/25X20	25	20	1 - 3	11,5	5
7371004	TR/30X10	30	10	1 - 1,5	11,5	5
7371006	TR/30X15	30	15	1 - 2,5	11,5	5
7371008	TR/30X20	30	20	1 - 3	11,5	5
7371013	TR/30X25	30	25	1,5	13,5	3,5
7371015	TR/35X10	35	10	1 - 2	11,5	5
7371026	TR/35x15	35	15	1 - 3	11,5	5
7371016	TR/35X20	35	20	1 - 2,5	11,5	5
7371018	TR/35X25	35	25	1 - 3	11,5	5
7371022	TR/40X10	40	10	1,5 - 2	10,5	5
7371024	TR/40X15	40	15	1 - 2	12	5
7371027	TR/40X20	40	20	1 - 3	12	5
7371029	TR/40X20	40	20	3	13	5
7371030	TR/40X25	40	25	1 - 3	11,5	5
7371032	TR/40X30	40	30	1 - 3	12	5
7371036	TR/40X35	40	35	1 - 3	12	5
7371037	TR/45X15	45	15	1,5 - 2	11	5
7371039	TR/45X20	45	20	1 - 3	11,5	5
7371041	TR/45X25	45	25	1 - 3	12	5
7371042	TR/45X30	45	30	1 - 2,5	12	5
7371043	TR/45X35	45	35	1 - 3,5	12	5
7371044	TR/50X10	50	10	1 - 2	11,5	3,5
7371046	TR/50X20	50	20	1 - 3	14	5
7371048	TR/50X25	50	25	1 - 3	14,5	5
7371049	TR/50X30	50	30	1 - 3	13,5	5
7371051	TR/50X30	50	30	3 - 5	14,5	5
7371053	TR/50X35	50	35	1 - 3,5	14,5	5
7371054	TR/50X40	50	40	1,5 - 3	12,5	5
7371057	TR/55X34	55	34	1,5 - 4	14,5	5
7371056	TR/55X40	55	40	1,5 - 4	14,5	5
7371058	TR/60X15	60	15	1 - 2	14,5	5
7371060	TR/60X20	60	20	1 - 3	14,5	5
7371061	TR/60X25	60	25	1 - 3	14	5
7371063	TR/60X30	60	30	1 - 3	15	5
7371064	TR/60X35	60	35	1,5 - 3,5	15	5
7371066	TR/60X40	60	40	1 - 3	14	5
7371067	TR/60X40	60	40	3 - 5	14	5
7371076	TR/60x45	60	45	1,5 - 4	15	5
7371068	TR/60X50	60	50	1,5 - 3,5	14,5	5
7371088	TR/65x35	65	35	1 - 3	15	5
7371070	TR/70x20	70	20	1 - 3,5	19	5
7371069	TR/70x25	70	25	1,5 - 2,5	18	5
7371071	TR/70x30	70	30	1 - 3	18	5
7371110	TR/70x35	70	35	1,5 - 3,5	15	5
7371073	TR/70x40	70	40	1,5 - 3	18	5
7371074	TR/70x40	70	40	2,5 - 3,5	15	5
7371111	TR/70x50	70	50	2 - 5	15	5
7371112	TR/75x25	75	25	1 - 3	15	5
7371113	TR/75x50	75	50	2 - 4	15	5

Codice	Modello	A mm	B mm	Spessore del tubo Thickness of the tube Espesor del tubo	H mm	h mm
7371077	TR/80x20	80	20	1 - 3	18	5
7371114	TR/80x25	80	25	1 - 3	14,5	5
7371078	TR/80x30	80	30	1 - 2,5	14,5	5
7371080	TR/80x30	80	30	2,5 - 4	14,5	5
7371082	TR/80x40	80	40	1 - 3	14,5	5
7371084	TR/80x40	80	40	3 - 5	24,5	5
7371086	TR/80x50	80	50	1,5 - 4	22	5
7371087	TR/80x60	80	60	1,5 - 3,5	24	5
7371089	TR/80x60	80	60	3,5 - 5	18,5	5
7371115	TR/90x20	90	20	1 - 2,5	14,5	5
7371116	TR/90x40	90	40	2 - 4	15	5
7371117	TR/90x45	90	45	2 - 4	15	5
7371118	TR/90x50	90	50	2 - 4,5	22	6
7371119	TR/90x70	90	70	3 - 5,5	22	6
7371120	TR/100x20	100	20	1,5 - 3	15	5
7371121	TR/100x25	100	25	1,5 - 3	15	5
7371092	TR/100x30	100	30	1,5 - 3,5	15	5
7371090	TR/100x40	100	40	1,5 - 4	14,5	5
7371094	TR/100x50	100	50	2 - 4	24	6
7371096	TR/100x50	100	50	1,5 - 4,5	24	6
7371122	TR/100x60	100	60	1,5 - 4,5	24	6
7371123	TR/100x80	100	80	3 - 5,5	19	6,5
7371135	TR/110x30	110	30	2 - 4	24	6
7371124	TR/110x60	110	60	3,5 - 5,5	24	6
7371125	TR/110x70	110	70	3 - 5	24	6
7371136	TR/120x20	120	20	1 - 3	14,5	6
7371137	TR/120x25	120	25	1,5 - 3	14,5	5
7371097	TR/120x30	120	30	1,5 - 2	14,5	5
7371098	TR/120x40	120	40	2	16,5	6
7371100	TR/120x40	120	40	3 - 5	21,5	6
7371126	TR/120x50	120	50	3 - 5,5	21,5	6
7371102	TR/120x60	120	60	1,5 - 5	24,5	5
7371105	TR/120x80	120	80	2 - 5,5	24	5
7371106	TR/120x80	120	80	5 - 8	25	7
7371127	TR/120x100	120	100	3,5 - 6	24	6
7371138	TR/125x75	125	75	2 - 5	24,5	6
7371139	TR/140x40	140	40	2 - 4,5	21,5	6
7371140	TR/140x50	140	50	2 - 5	21,5	6
7371107	TR/140x60	140	60	2 - 4,5	24,5	6
7371141	TR/140x70	140	70	4 - 6,5	24,5	6
7371108	TR/140x80	140	80	2 - 4,5	24,5	5
7371142	TR/140x100	140	100	2 - 4,5	24,5	6
7371143	TR/150x30	150	30	1,5 - 3	21,5	6
7371144	TR/150x40	150	40	2 - 4,5	21,5	6
7371128	TR/150x50	150	50	2 - 4	28	6
7371129	TR/150x50	150	50	4 - 6	28	6
7371145	TR/150x60	150	60	2,5 - 5	21,5	6
7371146	TR/150x75	150	75	2,5 - 5,5	21,5	6
7371109	TR/150x100	150	100	3 - 6	27	7
7371132	TR/160x50	160	50	2,5 - 5,5	21,5	6
7371131	TR/160x60	160	60	2,5 - 5	21,5	6
7371130	TR/160x80	160	80	3 - 5,5	24,5	6
7371134	TR/200x120	200	120	6,3 - 9	30,5	6


Materiale

Polietilene L.D. nero.

Black L.D. polythene.

Polietileno L.D. negro.

Codice	Modello	A mm	Spessore del tubo Thickness of the tube Espesor del tubo	H mm	h mm
7371301	TT/10	10	1 - 2	12	3,5
7371303	TT/12	12	1 - 2	11,5	3,5
7371305	TT/13	13	1 - 2	11,5	4
7371307	TT/14	14	1 - 2	11	5
7371309	TT/15	15	1 - 2	13	3
7371311	TT/16	16	1 - 2	11	5
7371313	TT/18	18	1 - 2	11,5	5
7371314	TT/19	19	1 - 2,5	11,5	5
7371315	TT/20	20	1 - 2,5	11,5	5
7371316	TT/21	21	1 - 3	11,5	5
7371317	TT/22	22	1 - 2	11,5	5
7371318	TT/23	23	1 - 3	11,5	5
7371324	TT/24	24	1 - 2,5	11,5	5
7371320	TT/25	25	1 - 3	11,5	5
7371326	TT/26	26	1 - 3	11,5	5
7371322	TT/27	27	1 - 3	11,5	5
7371323	TT/28	28	1 - 3	11,5	5
7371325	TT/30	30	1 - 2,5	11,5	5
7371327	TT/32	32	1 - 3	12	5
7371328	TT/34	34	1 - 3	11,5	5
7371331	TT/35	35	1 - 3	11,5	5
7371333	TT/36	36	1 - 3	11,5	5
7371336	TT/38	38	1 - 3,5	11,5	5
7371338	TT/40	40	1 - 3	11,5	5
7371339	TT/42	42	1 - 3	11,5	5
7371340	TT/42	42	3 - 6	11,5	5
7371332	TT/43	43	2 - 2,5	11,5	5
7371342	TT/45	45	1 - 3	11	5
7371356	TT/46	46	1,5 - 3,5	11,5	5
7371344	TT/48	48	1,2 - 3,5	11,5	5
7371366	TT/48	48	2,5 - 5	11,5	5
7371345	TT/50	50	1 - 2,5	11,5	5
7371346	TT/52	52	1,5 - 3,5	14,5	5
7371348	TT/55	55	1 - 3	11,5	5
7371350	TT/60	60	1,5 - 3	18,5	5
7371351	TT/60/3	60/3	3 - 5	21	5
7371352	TT/65	65	1,5 - 3,5	21	5
7371353	TT/70	70	1,5 - 3,5	21	5
7371355	TT/76	76	1,6 - 4	21,5	6
7371358	TT/80	80	1,5 - 3	21	4
7371367	TT/85	85	1,5 - 4	21	6
7371368	TT/88	88,9	1,5 - 4	21,5	6
7371359	TT/90	90	1,5 - 5	20	6
7371360	TT/95	95	1,5 - 4	21	6
7371362	TT/100	100	2 - 4,5	28,5	6
7371361	TT/102	102	2 - 4	20,2	5
7371363	TT/105	105	2 - 4,5	29	6
7371369	TT/108	108	3 - 5	28	6
7371364	TT/110	110	2 - 4,5	28,5	6
7371370	TT/114	114	2,6 - 5,5	29	6
7371365	TT/120	120	2 - 4	28,5	6
7371371	TT/125	125	2 - 6	33	6
7371372	TT/130	130	2 - 6	33	6
7371373	TT/133	133	2 - 6	33	6
7371374	TT/140	140	2 - 6,5	34	6
7371375	TT/150	150	2 - 7	34	6
7371377	TT/160	160	2,5 - 7	34	6
7371378	TT/168	168,3	2 - 6,5	34	6
7371381	TT/177,8	177,8	3,2 - 8	34	6
7371379	TT/194	193,7	2,9 - 8	34	6



TRO

Inserto per tubi ovali / Oval tubes insert
Inserto para tubos ovals





Materiale

Polietilene L.D. nero.

Black L.D. polythene.

Polietileno L.D. negro.

Codice	Modello	A mm	B mm	Spessore del tubo Thickness of the tube Espesor del tubo	H mm	h mm
7372001	TRO/20x10	20	10	2	10	5
7372003	TRO/30x15	30	15	1 - 2,5	12	5
7372005	TRO/35x15	35	15	1,2 - 2,5	12	5
7372007	TRO/35x20	35	20	1,5 - 2	12	5
7372009	TRO/38x20	38	20	1 - 3	12	5
7372011	TRO/40x20	40	20	1 - 3	12	5
7372013	TRO/45x20	45	20	1 - 3	12	5
7372015	TRO/48x20	48	20	1,5 - 2	12	5
7372017	TRO/50x15	50	15	1 - 3	12	5
7372019	TRO/50x20	50	20	1 - 3	12	5
7372021	TRO/50x25	50	25	1 - 3	12	5
7372023	TRO/50x30	50	30	1 - 2,5	12	5
7372025	TRO/60x20	60	20	1 - 2	13	5
7372027	TRO/60x25	60	25	1 - 2	13	5
7372029	TRO/60x30	60	30	2	13	5



PNF

Puntale tondo filettato / Cylindrical threaded
toecap / Puntal redondo roscado



Materiale


Tecnopolimero nero.

Black thermoplastic.

Termoplástico negro.

Codice	Modello	A mm	D	H mm	h mm
7321230	PNF18	18	M10	18	6
7321233	PNF20	20	M10	18	6
7321235	PNF22	22	M10	19	6
7321237	PNF25	25	M10	19	6
7321239	PNF28	28	M10	19	6
7321245	PNF30	30	M10	19	6
7321247	PNF32	32	M10	19	6
7321250	PNF35	35	M10	20	6
7321255	PNF40	40	M10	21	6,5
7321260	PNF50	50	M10	21	6

NOTE: A richiesta filetto M8.
M8 thread on request.
Previa solicitud rosca M8.



CQF


Puntale quadro filettato / Square threaded
toecap / Puntal cuadrado roscado



Materiale

Tecnopolimero nero.
Black thermoplastic.
Termoplástico negro.

Codice	Modello	A mm	D	H mm	h mm
7321280	CQF15	15	M8	18	5
7321282	CQF16	16	M8	18	5
7321284	CQF18	18	M10	18	5
7321287	CQF20	20	M10	18	5
7321289	CQF22	22	M10	18	5
7321292	CQF25	25	M10	19	5
7321295	CQF30	30	M10	20	6
7321300	CQF35	35	M10	21	6,5
7321305	CQF40	40	M10	22	6
7321310	CQF50	50	M10	30	6



NOTE: A richiesta filetto M8.
M8 thread on request.
Previa solicitud rosca M8.

CRF


Puntale rettangolare filettato / Rectangular
threaded toecap / Puntal rectangular roscado



Materiale

Tecnopolimero nero.
Black thermoplastic.
Termoplástico negro.

Codice	Modello	A mm	B mm	D	h mm	H mm
7321330	CRF2030	30	20	M10	6	19
7321335	CRF2035	35	20	M10	6	18
7321340	CRF2040	40	20	M10	6	19
7321345	CRF2050	50	20	M10	6	19
7321350	CRF2060	60	20	M10	6	19
7321355	CRF2550	50	25	M10	6	22



NOTE: A richiesta filetto M8.
M8 thread on request.
Previa solicitud rosca M8.

PN


Puntale tondo
Cylindrical toecap / Puntal redondo



Materiale

Tecnopolimero nero.
Black thermoplastic.
Termoplástico negro.


Codice	Modello	A mm	h mm	H mm
7321005	PN18	18	5	12
7321007	PN20	20	6	13
7321010	PN22	22	5	13
7321012	PN25	25	6	19
7321015	PN28	28	6	18
7321020	PN35	35	6	18
7321025	PN40	40	6	19
7321030	PN50	50	6	22



NOTE: A richiesta filetto M8.
M8 thread on request.
Previa solicitud rosca M8.

CP**Inserto per tubi tondi / Cylindrical tubes
insert / Inserto para tubos cilíndricos****Materiale****Tecnopolimero nero.**Black thermoplastic.
Termoplástico negro.

Codice	Modello	A mm	h mm	H mm
7321050	CP14	14	3	9
7321052	CP16	16	4	10
7321054	CP18	18	3	9
7321057	CP20	20	4	11
7321060	CP22	22	4	10
7321065	CP25	25	4	13
7321070	CP30	30	5	15
7321072	CP32	32	5	15


**NOTE:** Per tubi spessore 1,2 - 1,5 mm.

For tubes thickness 1,2 - 1,5 mm.

Para tubos de espesor 1,2 - 1,5 mm.

CQ**Inserto per tubi quadri / Square tubes
insert / Inserto para tubos cuadrados****Materiale****Tecnopolimero nero.**Black thermoplastic.
Termoplástico negro.

Codice	Modello	A mm	H mm
7321100	CQ12	12x12	9
7321103	CQ15	15x15	10
7321105	CQ18	18x18	11
7321107	CQ20	20x20	11
7321110	CQ25	25x25	16
7321115	CQ30	30x30	15
7321120	CQ35	35x35	18
7321125	CQ40	40x40	15


**NOTE:** Per tubi spessore 1,2 - 1,5 mm.

For tubes thickness 1,2 - 1,5 mm.

Para tubos de espesor 1,2 - 1,5 mm.

CR**Inserto per tubi rettangolari / Rectangular
tubes insert / Inserto para tubos rectangulares****Materiale****Tecnopolimero nero.**Black thermoplastic.
Termoplástico negro.

Codice	Modello	B mm	A mm	H mm
7321150	CR2030	20	30	11
7321155	CR2040	20	40	11
7321160	CR2050	20	50	11

**NOTE:** Per tubi spessore 1,2 - 1,5 mm.

For tubes thickness 1,2 - 1,5 mm.

Para tubos de espesor 1,2 - 1,5 mm.

TPFL

Tappo per fori su lamiera / Snap in plug for plate / Tapón para huegos en chapa




Materiale

PVC nero.

Black PVC.

PVC negro.

Codice	Modello	d2 mm	D mm	d1 mm	h mm	H mm
7372700	TPFL/4,7	4,7	9,3	9,3	1,6	4,6
7372702	TPFL/6,4	6,4	9,5	9,5	1,6	5,0
7372704	TPFL/8	8	14,5	10,6	0,8	4,0
7372706	TPFL/8,0/1	8	14,5	10,6	1,6	4,5
7372708	TPFL/9	9	15	12,4	1,6	6,6
7372710	TPFL/11,2	11,2	17,7	12,8	1,6	6,2
7372712	TPFL/11,5	11,5	17	15,5	1,6	7,0
7372714	TPFL/11,9	11,9	17,5	15,9	1,2	7,1
7372716	TPFL/12	12	19	13,1	0,8	6,5
7372718	TPFL/12,7	12,7	18,7	15,5	1,6	5,6
7372720	TPFL/14,9	14,9	20	18,4	1,3	7,0
7372722	TPFL/15,5	15,5	22	19	1,6	7,5
7372724	TPFL/15,9	15,9	19	19	1,6	7,1
7372726	TPFL/16,3	16,3	20	18,5	1,3	7,0
7372728	TPFL/19	19	25	21,5	1,6	6,5
7372730	TPFL/20	20	25	21,5	1,6	6,5
7372732	TPFL/22	22	28,5	26,6	2,4	8,2
7372734	TPFL/22,5	22,5	28,5	27	1,6	7,5
7372736	TPFL/24,5	24,5	30	27,5	2,4	8,7
7372738	TPFL/25,4	25,4	32	28,3	1,6	9,0
7372740	TPFL/25,4/1	25,4	32	28,3	2,4	9,0
7372742	TPFL/25	25	38,5	28,5	0,8	4,6
7372744	TPFL/32	32	38,2	35,4	3,1	9,0
7372746	TPFL/31,5	31,5	38,2	31,5	0,8	7,0
7372748	TPFL/31,5/1	31,5	38,2	35,4	1,6	7,5
7372750	TPFL/38,2	38,2	43,7	43	1,6	8,2
7372752	TPFL/51,5	51,5	57,5	52,6	1,6	11,4



TPL

Tappo per fori su lamiera / Snap in plug for plate / Tapón para huegos en chapa




Materiale

Polietilene L.D. colore naturale.

Natural color L.D. polythene.

Polietileno L.D. color natural.

Codice	Modello	D mm	d mm	h mm	H mm
7372600	TPL/9,5	20	9,5	3	8,5
7372602	TPL/12,5	24	12,5	3	9,8
7372604	TPL/14	27	14	3	10,0
7372606	TPL/16	27,5	16	3	9,8
7372610	TPL/20	31,5	20	3	9,8
7372612	TPL/22	33,5	22	3	9,8
7372614	TPL/25	36	25	1,5	9,0
7372616	TPL/25/1	36,5	25	3	9,8
7372618	TPL/28	39,5	28	3	9,8
7372620	TPL/31,5	41	31,5	3	9,2
7372622	TPL/38	49,5	38	3	9,8
7372624	TPL/47,5	59	47,5	3	9,8
7372626	TPL/50	61,5	50	3	9,8
7372628	TPL/51	62,5	51	3	9,5




TPFH

Tappo per fori su lamiera / Snap in plug for plate / Tapón para huegos en chapa



Materiale
ABS nero.
 Black ABS.
 ABS negro.



Codice	Modello	Ø foro mm	A mm	H mm	h mm	Spessore lamiera Sheet thickness Espesor de chapa mm
7372800	TPFH/9,5	9,5-13	16	13,2	2	0,8-3,2
7372803	TPFH/11,5	11,5-14,5	18,5	12,5	2	0,8-3,2
7372806	TPFH/15	15-18	21,5	12	2	0,8-3,2
7372809	TPFH/18,4	18,4-22	25,3	12,7	2	0,8-3,2
7372812	TPFH/22	22-27	32,5	13,7	2	0,8-3,2
7372815	TPFH/27	27-33	35	13,5	2	0,8-3,2
7372818	TPFH/35	35-40	43,3	13,1	2	0,8-3,2
7372821	TPFH/44,5	44,5-49	52,5	13,7	2	0,8-3,2


TTP

Inserto testa piana
 Flat head insert / Inserto de hoja plana



Materiale
Polietilene L.D. colore naturale.
 Natural color L.D. polythene.
 Polietileno L.D. color natural.

Codice	Modello	d mm	D mm	H mm	h mm
7372500	TTP/7,3	7,3	14	6,0	2
7372502	TTP/9,3	9,3	14	4,5	2
7372504	TTP/9,3/1	9,3	16	6,8	1,5
7372506	TTP/10,7	10,7	14	5,5	2
7372508	TTP/11,9	11,9	16	7,0	2
7372510	TTP/12,8	12,8	20	7,8	2,5
7372512	TTP/13,7	13,7	20	8,0	2
7372514	TTP/15,6	15,6	20	8,0	2
7372516	TTP/17	17,0	22	8,2	2,6
7372518	TTP/19,3	19,3	25	8,0	2,5
7372520	TTP/20,5	20,5	30	10,7	2,5
7372522	TTP/21,2	21,2	25	7,5	2
7372524	TTP/22,4	22,4	28	9,0	3
7372526	TTP/24,6	24,6	28	9,0	3
7372528	TTP/25,5	25,5	28	7,5	2
7372530	TTP/26,5	26,5	28	9,0	3
7372532	TTP/30,5	30,5	36	12,0	3
7372534	TTP/31,8	31,8	36	10,0	2,5
7372536	TTP/33,5	33,5	36	12,0	3




NOTE: A richiesta si forniscono altre misure.
 Other sizes available upon request.
 Otras medidas disponibles previa solicitud.

TF**Tappo filettato**
Threaded protection plug / Tapón roscado**Materiale****Polietilene H.D. giallo.**

Yellow H.D. polythene.

Polietileno H.D. amarillo.


Codice	Modello	D mm	H mm	h mm	d
7370781	TF-1/8	21	9	5	1/8 Gas
7370783	TF-1/4	21	9	5	1/4 Gas
7370785	TF-3/8	23	10	6	3/8 Gas
7370787	TF-1/2	28	12	6	1/2 Gas
7370801	TF-M12X1,5	21	9	5	M12x1,5
7370803	TF-M14X1,5	21	9	5	M14x1,5
7370805	TF-M16X1,5	23	10	6	M16x1,5
7370807	TF-M18X1,5	23	10	6	M18x1,5
7370809	TF-M20X1,5	28	12	6	M20x1,5
7370811	TF-M22X1,5	28	12	6	M22x1,5

**TFT****Tappo filettato**
Threaded protection plug / Tapón roscado**Materiale****Poliammide giallo.**

Yellow polyamide.

Poliamida amarilla.

Codice	Modello	D mm	H mm	h mm	SW mm	d
7370881	TFT/M10x1	14,2	6	11	10	M10
7370883	TFT/M12x1.5	17,2	8	11	13	M12
7370885	TFT/M14x1.5	19,2	10	11	13	M14
7370887	TFT/M16x1.5	22	8	12	17	M16
7370889	TFT/M18x1.5	24	9	12	17	M18
7370891	TFT/M20x1.5	26	9	15	19	M20
7370893	TFT/M22x1.5	27	9	15	19	M22
7370895	TFT/M26x1.5	32	9	15	24	M26
7370897	TFT/M27x2	32	12	15	24	M27
7370899	TFT/M33x2	40	12	15	27	M33
7370901	TFT/M42x2	50	12	16	36	M42
7370949	TFT-1/8"	16,8	8	11	13	1/8"
7370951	TFT-1/4"	19	8	11	13	1/4"
7370953	TFT-3/8"	22	8	12	17	3/8"
7370955	TFT-1/2"	27	11	14	19	1/2"
7370957	TFT-3/4"	32,3	11	14	24	3/4"
7370959	TFT-1"	40	14	15	27	1"
7370961	TFT-1.1/4"	50	14	17	36	1.1/4"
7370963	TFT-1.1/2"	55,5	14	16	41	1.1/2"
7370965	TFT-2"	68,5	14	16	55	2"



TFL

Tappo filettato Threaded protection plug / Tapón roscado




Materiale

Polietilene L.D. rosso.

Red L.D. polythene.

Polietileno L.D. rojo.

Codice	Modello	d	D mm	H mm	h mm
7370851	TFL-1/4"	1/4" gas	19	7,0	3,5
7370853	TFL-3/8"	3/8" gas	22,5	8,5	3,5
7370855	TFL-1/2" gas	1/2" gas	26	10,0	4,5
7370857	TFL-3/4" gas	3/4" gas	32	11,5	6
7370859	TFL-1"	1" gas	37	13,5	6



PA

Protezione per alberi Shaft protection / Protección para eje




Materiale

Polietilene L.D. giallo.

Yellow L.D. polythene.

Polietileno L.D. amarillo.

Codice	Modello	W mm	D mm	H mm
7371251	PA/9	9	14,5	25
7371253	PA/11	11	17,5	30
7371255	PA/14	14	22,5	35
7371257	PA/15	15	25,5	35
7371259	PA/16	16	25,5	50
7371261	PA/19	19	30,5	50
7371263	PA/20	20	32	60
7371265	PA/22	22	35,5	60
7371267	PA/24	24	38,5	60
7371269	PA/25	25	40	70
7371271	PA/28	28	45	70
7371273	PA/30	30	48	95
7371275	PA/32	32	51	95
7371277	PA/35	35	56	95
7371279	PA/38	38	61	95
7371281	PA/42	42	67	130
7371283	PA/45	45	72	130
7371285	PA/48	48	77	130
7371287	PA/55	55	88	130
7371289	PA/60	60	96	165
7371291	PA/65	65	104	165
7371293	PA/75	75	112	165




Materiale

PVC nero.

Black PVC.
PVC negro.

Codice	Modello	Ø esterno del tubo External Ø of the pipe Ø exterior del tubo	d mm	H mm
7372250	PUN/6	6	6	13
7372252	PUN/8	8	8	15,5
7372254	PUN/10	10-11	10	16,5
7372255	PUN/12	12-13	12	19
7372264	PUN/16	16-17	16	26
7372266	PUN/18	18	18	26
7372268	PUN/19	19	19	26
7372270	PUN/20	20	20	26,5
7372272	PUN/21	21	21	27,5
7372274	PUN/22	22-23	22	29
7372276	PUN/24	24	24	31
7372278	PUN/25	25-26	25	31
7372280	PUN/27	27	27	31
7372282	PUN/28	28-29	28	32
7372284	PUN/30	30-31	30	32
7372286	PUN/32	32-33	32	32
7372288	PUN/34	34	34	33
7372290	PUN/35	35-36	35	32,5
7372292	PUN/38	38-39	38	32
7372294	PUN/40	40-41	40	34
7372296	PUN/42	42	42	32
7372298	PUN/43	43-44	43	32
7372300	PUN/45	45-46	45	36
7372304	PUN/48	48	48	36
7372306	PUN/49	49-51	49	36
7372308	PUN/54	54-55	54	39
7372310	PUN/59	59-60	59	36
7372312	PUN/63	63-64	63	37
7372314	PUN/69	69-70	69	37
7372316	PUN/75	75-76	75	39
7372318	PUN/90	90-91	90	39



EC

Cappello alto temperatura
High temperature pipe protection cap
Protección para alta temperatura


**Materiale****Silicone colore naturale.**

Natural color silicone.

Silicona color natural.

Codice	Modello	d mm	h mm
7371501	EC/1,8	1,8	25,4
7371503	EC/2,5	2,5	25,4
7371505	EC/3,8	3,8	25,4
7371507	EC/4,6	4,6	25,4
7371509	EC/5,7	5,7	38,1
7371511	EC/7,5	7,5	38,1
7371525	EC/7,9	7,9	25,4

Codice	Modello	d mm	h mm
7371513	EC/9,5	9,5	25,4
7371515	EC/11,6	11,6	38,1
7371517	EC/13,6	13,6	38,1
7371519	EC/15,9	15,9	38,1
7371521	EC/19,1	19,1	38,1
7371522	EC/20,6	20,6	38,1
7371523	EC/23,8	23,8	38,1



NOTE: A richiesta si forniscono altre misure fino a massimo Ø53,5 mm.
 Other sizes available upon request, max Ø53,5 mm.
 Disponibles otras medidas, máximo Ø53,5 mm.

ECM


Cappello
Pipe protection / Caperuza

**Materiale****EPDM nero.**

Black EPDM.

EPDM negro.

Codice	Modello	d mm	h mm
7371621	ECM/1,6	1,6	19,1
7371625	ECM/2,5	2,5	12,7
7371627	ECM/2,8	2,8	19,1
7371629	ECM/3,8	3,8	19,1
7371631	ECM/3,8/1	3,8	25,4
7371633	ECM/4,0	4,0	25,4
7371635	ECM/4,4	4,4	25,4
7371637	ECM/4,8	4,8	25,4
7371641	ECM/5,7	5,7	25,4
7371643	ECM/5,9	5,9	25,4
7371645	ECM/7,9	7,9	25,9
7371647	ECM/9,5	9,5	25,4
7371649	ECM/11,6	11,6	25,9
7371651	ECM/13,6	13,6	38,1
7371653	ECM/15,9	15,9	38,1
7371655	ECM/19,1	19,1	38,1
7371657	ECM/20,6	20,6	38,1
7371659	ECM/23,8	23,8	38,1
7371661	ECM/25,4	25,4	38,1



NOTE: A richiesta si forniscono altre misure fino a massimo Ø53,5 mm.
 Other sizes available upon request, max Ø53,5 mm.
 Disponibles otras medidas, máximo Ø53,5 mm.

HT

Tappo conico alta temperatura High temperature conical plug Tapón cónico para alta temperatura




Materiale

Silicone colore naturale.

Natural color silicone.

Silicona color natural.

Codice	Modello	d mm	D mm	H mm
7371531	HT/0,8	0,8	3,2	16
7371533	HT/1,6	1,6	4,8	16
7371535	HT/3,2	3,2	6,4	19
7371537	HT/4,8	4,8	8,7	16
7371539	HT/6,4	6,4	9,5	19
7371540	HT/7,9	7,9	14,3	25,4
7371541	HT/8,7	8,7	11,1	18,2
7371543	HT/10,3	10,3	15,1	25,4
7371545	HT/12,7	12,7	16,7	25,4
7371547	HT/14,3	14,3	19,1	25,4
7371549	HT/15,9	15,9	19,8	25,4
7371551	HT/18,3	18,3	23,8	25,4
7371553	HT/19,8	19,8	25,4	25,4



NOTE: A richiesta si forniscono altre misure fino a massimo Ø127 mm.
Other sizes available upon request, max Ø127 mm.
Disponibles otras medidas, máximo Ø127 mm.

HTM

Tappo conico Conical plug / Tapón cónico




Materiale

EPDM nero.

Black EPDM.

EPDM negro.

Codice	Modello	d mm	D mm	H mm
7371841	HTM/0,8	0,8	3,2	15,9
7371843	HTM/1,6	1,6	4,8	15,9
7371845	HTM/3,2	3,2	6,4	19,1
7371847	HTM/4,8	4,8	8,7	15,9
7371849	HTM/6,4	6,4	9,5	19,1
7371851	HTM/8,7	8,7	11,9	20,6
7371853	HTM/10,3	10,3	15,1	25,4
7371855	HTM/11,1	11,1	17,5	25,4
7371857	HTM/14,3	14,3	19,1	25,4
7371859	HTM/15,9	15,9	19,8	25,4
7371861	HTM/18,3	18,3	23,8	25,4
7371863	HTM/19,8	19,8	25,4	25,4



NOTE: A richiesta si forniscono altre misure fino a massimo Ø127 mm.
Other sizes available upon request, max Ø127 mm.
Disponibles otras medidas, máximo Ø127 mm.

TSCS

Spina cilindrica alta temperatura
High temperature pull plug
Pasador cilíndrico para alta temperatura



Materiale

Silicone colore naturale.

Natural color silicone.

Silicona color natural.

Codice	Modello	D mm	d mm	H mm	h mm
7372102	TSCS/1,7	1,7	1,2	15,9	15,5
7372106	TSCS/2,4	2,4	1,3	17,8	17,8
7372114	TSCS/3,2	3,2	1,6	15,9	15,9
7372122	TSCS/4,0	4,0	1,6	15,9	19,1
7372124	TSCS/5,0	5,0	2,8	25,4	25,4
7372130	TSCS/6,5	6,5	3,3	25,4	25,4
7372132	TSCS/8,5	8,5	3,9	25,4	25,4
7372138	TSCS/10,2	10,2	4	25,4	25,4
7372142	TSCS/13,5	13,5	6,4	25,4	25,4
7372146	TSCS/15,5	15,5	6,4	25,4	25,4



NOTE: A richiesta si forniscono altre misure fino a massimo Ø25,9 mm.
Other sizes available upon request, max Ø25,9 mm.
Disponibles otras medidas, máximo Ø25,9 mm.

TSCE

Spina cilindrica
Pull plug / Pasador cilíndrico



Materiale

EPDM nero.

Black EPDM.

EPDM negro.

Codice	Modello	D mm	d mm	H mm	h mm
7372200	TSCE/1,7	1,7	1,2	15,9	15,5
7372202	TSCE/2,4	2,4	1,3	17,8	17,8
7372204	TSCE/3,2	3,2	1,6	15,9	15,9
7372206	TSCE/4,0	4,0	1,6	15,9	19,1
7372208	TSCE/5,0	5,0	2,8	25,4	25,4
7372210	TSCE/6,5	6,5	3,3	25,4	25,4
7372212	TSCE/8,5	8,5	3,9	25,4	25,4
7372214	TSCE/10,2	10,2	4	25,4	25,4
7372216	TSCE/12,0	12,0	6,2	25,4	25,4
7372218	TSCE/13,5	13,5	6,4	25,4	25,4



NOTE: A richiesta si forniscono altre misure fino a massimo Ø25,9 mm.
Other sizes available upon request, max Ø25,9 mm.
Disponibles otras medidas, máximo Ø25,9 mm.



Gamm Srl

Via della Tecnica 21/23

35075 - Montecchio Maggiore (VI) - Italy

Tel. +39 0444 706311

comm@gamm.com

www.gamm.com

